

EAST - [1796.wsp:1]

File View Edit Tools Window Help

S37: (34) 7 and ((oxidizing oxidation oxid-
vorites
gged (0)
OC
eue

DBs: US:PGPUB:USPAT:EPD:JPO
Default generator: JPR

S32 and ((oxidizing oxidation oxid\$4) with (anneal\$3 heat\$3 thermal\$4 pressure))

BRS form ISIR form Image Text HTML

	U	Document I	Issue Dat	Page	Title	Current O	Current X	Retrieval	Inventor	S	C	P	2	3	
1	<input type="checkbox"/>	US 2005001	2005012	18	Thin film dielectrics for c	216/13			Borland, William J.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2	<input type="checkbox"/>	US 2005000	2005011	32	Circuit component, circui	29/593	29/610.1		Hirano, Koichi et al.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3	<input type="checkbox"/>	US 2004021	2004102	24	Solid electrolytic capacit	361/523			Monden, Ryuji et al.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
4	<input type="checkbox"/>	US 2004012	2004070	37	Capacitor and method for	361/523			Hirano, Koichi et al.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
5	<input type="checkbox"/>	US 2004011	2004061	16	Electrolytic capacitors an	361/523	257/E21.0		Katsir, Dina et al.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6	<input type="checkbox"/>	US 2004007	2004042	40	Functional alloy particles:	75/255	148/24;		Nakata, Shuichi et a	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
7	<input type="checkbox"/>	US 2004006	2004040	14	Electrolysis solution for e	361/525	361/503		Abe, Koji et al.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8	<input type="checkbox"/>	US 2004004	2004031	28	Capacitor, laminated cap	361/523			Yoshida, Tsunenori	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
9	<input type="checkbox"/>	US 2004003	2004022	40	Electronic device using lo	525/328.9	524/127;		Amou, Satoru et al.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
10	<input type="checkbox"/>	US 2003022	2003120	34	Circuit component, circui	257/678	257/689;		Hirano, Koichi et al.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
11	<input type="checkbox"/>	US 2003014	2003073	40	Circuit component built-i	174/256	174/257;		Sugaya, Yasuhiro et	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
12	<input type="checkbox"/>	US 2003011	2003062	22	Capacitor-mounted metal	174/260	174/257;		Nakatani, Seiichi et	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
13	<input type="checkbox"/>	US 2003010	2003061	17	Solid electrolytic capacit	361/525			Yokouchi, Yuniko	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
14	<input type="checkbox"/>	US 2003007	2003041	7	Electrode for use in a cap	204/290.0	204/290.14		Shah, Ashish et al.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
15	<input type="checkbox"/>	US 2003006	2003041	22	Ruthenium-containing ox	428/472	427/314;		Shah, Ashish et al.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
16	<input type="checkbox"/>	US 2002012	2002091	7	Method of aqueous anodi	205/118	204/492;		Harrington, Albert	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
17	<input type="checkbox"/>	US 2002010	2002080	25	Solid electrolytic capacit	361/523			Monden, Ryuji et al	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
18	<input type="checkbox"/>	US 2001003	2001110	16	Passive electrical article.	428/209	428/325		O'Brvan, Nelson B.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

S37: (34) 7 and ((oxidizing oxidation oxid
avorites
egged (0)
OC
euc
J

Search List Browse Update Clear

DBs US:POPU:USPAT:EPO:JPO

Default operator: OR

☐ Search
☐ Highlight all the terms initially

S32 and ((oxidizing oxidation oxid\$4) with (anneal\$3 heat\$3 thermal\$4 pressure))

BRS form ISSR form Image Text HTML

	U	Document I	Issue Dat	Page	Title	Current O	Current X	Retrieval	Inventor	S	C	P	2	3	
19	<input type="checkbox"/>	US 2001003	2001101	41	Circuit component built-i	174/256	174/258;		Sugaya, Yasuhiro et	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
20	<input type="checkbox"/>	US 2001002	2001100	15	Method for providing a c	427/600	216/6;		Shah, Ashish et al.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
21	<input type="checkbox"/>	US 2001002	2001092	22	Ruthenium-containing ult	427/600	427/314;		Shah, Asbish et al.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
22	<input type="checkbox"/>	US 2001002	2001091	15	Method for providing a o	427/79	427/314		Shah, Ashish et al.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
23	<input type="checkbox"/>	US 6865071	2005030	16	Electrolytic capacitors an	361/523	29/25.03;		Katsir, Dina et al.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
24	<input type="checkbox"/>	US 6836401	2004122	27	Capacitor, laminated cap	361/538	361/306.1;		Yoshida, Tsunenori	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
25	<input type="checkbox"/>	US 6791823	2004091	13	Electrolysis solution for e	361/525	361/508;		Abe, Koji et al.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
26	<input type="checkbox"/>	US 6787884	2004090	31	Circuit component, circui	257/618	257/700;		Hirano, Koichi et al	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
27	<input type="checkbox"/>	US 6783703	2004083	21	Solid electrolytic capacit	252/511			Monden, Ryuji et al	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
28	<input type="checkbox"/>	US 6731497	2004050	15	Solid electrolytic capacit	361/525	252/62.2		Yokouchi, Yuniko	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
29	<input type="checkbox"/>	US 6638378	2003102	15	Passive electrical article,	148/527	148/536;		O'Bryan, Nelson B.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
30	<input type="checkbox"/>	US 6631551	2003101	8	Method of forming integr	29/620	29/846;		Bowles, Philip Harb	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
31	<input type="checkbox"/>	US 6538210	2003032	37	Circuit component built-i	174/258	174/260;		Sugaya, Yasuhiro et	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
32	<input type="checkbox"/>	US 6525921	2003022	21	Capacitor-mounted metal	361/306.3	174/264;		Nakatani, Seiichi et	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
33	<input type="checkbox"/>	US 6519137	2003021	23	Solid electrolytic capacit	361/525	29/25.03;		Nitta, Yukihiro et al	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
34	<input type="checkbox"/>	US 6475368	2002110		Method of aqueous anodi	205/118	205/128;		Harrington, Albert	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
35	<input type="checkbox"/>	US 6468605	2002102		Method for providing a o	427/600	427/299;		Shah, Ashish et al.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
36	<input type="checkbox"/>	US 6455108	2002092		Method for preparation o	427/446	427/449;		Muffoletto, Barry C	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

His Details HTML

Ready

NUM

4.

Default operator: OR ▼

☒ Highlight all the terms initially

 BRS form
  IS&R form
  Image
  Text
  HTML

[/ His](#)
[Details](#)
[HTML](#)